

**Connecticut Department of Public Health HIV Surveillance Program**  
**Rate of Newly Diagnosed HIV Cases by Age at Diagnosis, Connecticut, 2012-2016**

Age group	Year diagnosed									
	2012		2013		2014		2015		2016	
	N	rate	N	rate	N	rate	N	rate	N	rate
<20	8	0.9	18	2.0	11	1.2	13	1.5	9	1.0
20-29	82	18.3	91	19.8	85	18.3	85	18.2	92	19.7
30-39	75	17.8	59	13.9	64	15.0	63	14.6	58	13.3
40-49	66	12.5	77	15.1	57	11.6	50	10.4	46	10.0
50-59	45	8.2	57	10.4	52	9.4	44	8.0	38	6.9
60+	18	2.4	24	3.2	24	3.1	23	2.9	26	3.2

This table presents HIV Infection cases using the year the person was first diagnosed with HIV  
The term HIV Infection is used to refer to three categories of diagnoses collectively:

- (1) persons with a diagnosis of HIV infection (not AIDS)
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS
- (3) concurrent diagnoses of HIV and AIDS

Rate per 100,000 population based on corresponding years' census estimates

Rates based on reported numbers less than 12 should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable